



Lovebird Care Information

Lovebirds (*Agapornis spp.*) are generally inquisitive, social birds that are relatively easy to keep. They are small vocal birds and can make fantastic pets. There are 8 species of lovebirds which originate from Africa and one species from Madagascar. There are various colour mutations available in captivity. They can be housed individually or in groups. If introducing a new bird to the group it is important to slowly introduce them to avoid fighting and dominance issues. Even with a very slow introduction it is important to remember that some birds simply won't get along and may need to be kept separately.

Diet: It is advised to provide a diet not too high in protein as this can lead to kidney disease in some cases. It is also best to avoid diets high in commercially produced bird seed as they are often high in fat and low in many of the major vitamins that lovebirds require. Feeding a high seed diet can increase the risk of obesity and other more serious problems such as lipoma (lump) formation and cardiovascular disease.



Every lovebird is different so for your own tailored diet plan please get in contact with us. Our general recommendations for your lovebird's diet are as follows:

- 30-50% premium commercial pelleted diet suitable for lovebirds. Feeding more than 50% pellets can lead to problems in some cases and is not generally recommended for most lovebirds.
- 20-35% vegetables (recommended vegetables include: capsicum, broccoli, chili, corn, carrot, zucchini, squash, spinach, pumpkin, sweet potato, beans and peas), sprouted seed and native vegetation (most Australian blossoms and plants are okay to feed – ensure these are free of wild bird droppings contact). Fresh native grass varieties that produce small seeds on their stems are great for foraging and are encouraged.
- 5-10% fruits (i.e. melons, strawberries, banana, blue berries, grapes, peaches, pear, apple)
- 10-35% quality commercial seed mix.
- 1-5% snacks for training and as treats (unsalted nuts (i.e. macadamia, cashew and walnut), pasta, eggs and brown rice.

Housing: We advise a good quality powder coated or stainless steel cage of an appropriate size. Some painted cages can contain lead elements which can be toxic to your bird so please take care when selecting your cage. Cages that have been galvanized with a zinc coating can also cause problems so please select carefully.





Stainless steel or ceramic bowls are generally recommended as these materials are not porous making cleaning easier and more effective. Plastic bowls can become porous after a while and can cause problems if bacteria build up in these areas.

Perches of various sizes are important for exercise of the toes and feet health. They also help to promote the natural wear of their toe nails. Natural perches from native trees are ideal as they generally vary in size anyway.



Please do not provide string or rope toys as they often will fray over time and can cause a gastrointestinal obstruction if swallowed.

If you are feeding a balanced diet, then cuttlefish and other supplements are not needed.

Environmental enrichment is highly recommended and encouraged. Simple things like utilizing cardboard toilet rolls to hide food can provide hours of entertainment for many birds.

It is important that your bird gets enough sleep as long-day light exposure can stimulate excessive moulting and increased reproductive activity. We recommend you keep to the natural day length. If your bird is kept inside in a well-lit area, then you can cover the cage when the sun goes down and place them in a dark room to ensure that their day length is not too long.

Common diseases:

One of the most common diseases that we see in lovebirds is an upset gastrointestinal tract. Lovebirds will often present for regurgitation, vomiting or diarrhoea. If you see any of these signs we recommend a consultation as there are many different causes and if left untreated you may be putting your lovebirds life at risk.

Upper respiratory tract infection is characterized by sneezing or ocular discharge and is common in young birds. Once again it is highly advised to bring them in for an appointment as there are a range of different causes of upper respiratory tract disease. Chlamydia infection is common in young birds, this is a serious disease that can be transferred to other birds AND humans.

Kidney disease can occur due to high protein diets. The disease requires medical attention and can be quite serious. Clinical signs associated with this disease involve vomiting, lethargy and watery droppings.





Lovebirds are generally very curious and sometimes get themselves into trouble with foreign objects. It is quite common for them to eat or chew on items that they shouldn't (jewelry, plastic toys, rope toys, electrical cords etc.). If you are concerned that your bird may have eaten or chewed on something that they shouldn't have, then please get in touch with us.

Reproductive diseases and behavioural problems are also quite common in lovebirds.

Regular check-ups every 6-12 months are important, as birds are very good at hiding any illnesses that they have. These check-ups allow problems to be detected early before they worsen.

